Winter Tyres

From Matador

# Ready for the challenge

**MP 54**
**Sibir Snow**

**MP 92**
**Sibir Snow SUV**

**MPS 530**
**Sibir Snow VAN**

www.matador-tyres.com

Matador. A brand of Continental.

Matador®

# Matador Winter Tyres

## Argument for buying winter tyres.

Comparison by wear of tread pattern –
braking distance on snow from 50 km/h

### Winter tyres




### Summer tyres




Functionality of sipes, grooves and blocks are depending on tread pattern depth. Braking performance and snow grip are rapidly decreasing with tread pattern wear in wintertime. **We recommend for safe transport minimum depth of tread pattern 4 mm in wintertime.**

## MP 54 Sibir Snow

FOR COMPACT AND MIDDLE-CLASS VEHICLES

m+s

### Technical Highlights

#### High snow traction

The aggressive V-design tread pattern, with high-volume cavities and a large „zig-zag" groove in the centre, will hold a large volume of snow. High traction is achieved thanks to interlocking with the snow.

#### Safety in the wet

One central main groove and many lateral grooves in V-orientation achieve effective water displacement from the centre of the tyre to the outside of the shoulder. This ensures a high level of safety on wet roads.

#### Long service life

Narrow, shallow longitudinal grooves in the centre of the tread distribute the pressure evenly and minimise wear. The life of the tyre is increased.

#### Reduced road noise

Road noise is reduced by the optimised tread rigidity and material distribution. The noise level remains pleasant and driving quality is improved.

### Size Range

| Size | LI | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **13"** | | | | | | |
| 145/80 R 13 | 75 | T | F | C | 71 | 2 |
| 155/80 R 13 | 79 | T | F | C | 71 | 2 |
| 145/70 R 13 | 71 | T | F | C | 71 | 2 |
| 155/70 R 13 | 75 | T | F | C | 71 | 2 |
| 165/70 R 13 | 79 | T | F | C | 71 | 2 |
| 175/70 R 13 | 82 | T | F | C | 71 | 2 |
| 155/65 R 13 | 73 | T | F | C | 71 | 2 |
| 165/65 R 13 | 77 | T | F | C | 71 | 2 |
| 175/65 R 13 | 80 | T | F | C | 71 | 2 |
| **14"** | | | | | | |
| 175/80 R 14 | 88 | T | F | C | 71 | 2 |
| 165/70 R 14 | 81 | T | F | C | 71 | 2 |
| 165/70 R 14 XL | 85 | T | F | C | 71 | 2 |
| 175/70 R 14 | 84 | T | F | C | 71 | 2 |
| 175/70 R 14 XL | 88 | T | F | C | 71 | 2 |
| 185/70 R 14 | 88 | T | F | C | 71 | 2 |
| 155/65 R 14 | 75 | T | F | C | 71 | 2 |
| 165/65 R 14 | 79 | T | F | C | 71 | 2 |
| 175/65 R 14 | 82 | T | F | C | 71 | 2 |
| 175/65 R 14 XL | 86 | T | F | C | 71 | 2 |
| 185/65 R 14 | 86 | T | F | C | 71 | 2 |
| 165/60 R 14 XL | 79 | T | F | C | 71 | 2 |
| 185/60 R 14 | 82 | T | F | C | 71 | 2 |
| **15"** | | | | | | |
| 165/65 R 15 | 81 | T | F | C | 71 | 2 |
| 175/65 R 15 | 84 | T | F | C | 71 | 2 |

**XL** = EXTRA LOAD – tyre with increased loadability | **LI** = Load index | **SI** = Speed index | **EU** tyre label categories: = Fuel consuption, = Wet grip, **dB** = Value in decibels, = Class

# MP 92 Sibir Snow

FOR MIDDLE-CLASS AND LUXURY VEHICLES

m+s

## Technical Highlights

### Improved traction and braking on snow

The chunky zigzag „Z" design of the tread pattern is made up of numerous lateral grooves and gripping edges. This means more snow can be picked up, resulting in better grip from the tread. The high number of gripping edges results in good performance on snow, improving both traction and braking performance.

### Improved braking on wet roads and good safety against aquaplaning

The tread pattern of the inner part of the tyre as far as the shoulder is designed to be open, balancing with the two ribs running around the circumference. The increased water dispersal improves braking on wet roads and aquaplaning performance.

### Better handling on wet roads

Compact outer shoulder blocks in combination with the new sipe technology ensure good lateral tread rigidity. This results in better handling in wet conditions and improved steering response on wintry roads.

## Size Range

| Size | LI | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **15"** | | | | | | |
| 185/65 R 15 | 88 | T | F | C | 71 | 2 |
| 185/65 R 15 XL | 92 | T | F | C | 71 | 2 |
| 195/65 R 15 | 91 | T | F | C | 71 | 2 |
| 195/65 R 15 | 91 | H | F | C | 71 | 2 |
| 195/65 R 15 XL | 95 | T | F | C | 71 | 2 |
| 205/65 R 15 | 94 | T | F | C | 71 | 2 |
| 205/65 R 15 | 94 | H | F | C | 71 | 2 |
| 185/60 R 15 | 84 | T | F | C | 71 | 2 |
| 185/60 R 15 XL | 88 | T | F | C | 71 | 2 |
| 195/60 R 15 | 88 | T | F | C | 71 | 2 |
| 195/60 R 15 | 88 | H | F | C | 71 | 2 |
| 205/60 R 15 | 91 | T | F | C | 71 | 2 |
| 205/60 R 15 | 91 | H | F | C | 71 | 2 |
| 185/55 R 15 | 82 | T | F | C | 71 | 2 |
| 185/55 R 15 XL | 86 | H | F | C | 71 | 2 |

| Size | LI | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| 195/55 R 15 | 85 | T | F | C | 72 | 2 |
| 195/55 R 15 | 85 | H | F | C | 72 | 2 |
| 195/50 R 15 | 82 | T | F | C | 72 | 2 |
| 195/50 R 15 | 82 | H | F | C | 72 | 2 |
| **16"** | | | | | | |
| 205/60 R 16 | 92 | H | F | C | 71 | 2 |
| 215/60 R 16 XL | 99 | H | F | C | 71 | 2 |
| 195/55 R 16 | 87 | H | F | C | 71 | 2 |
| 205/55 R 16 | 91 | T | F | C | 71 | 2 |
| 205/55 R 16 | 91 | H | F | C | 71 | 2 |
| 205/55 R 16 XL | 94 | H | F | C | 71 | 2 |
| 205/55 R 16 XL | 94 | V | F | C | 71 | 2 |
| 215/55 R 16 | 93 | H | F | C | 71 | 2 |
| 215/55 R 16 XL | 97 | H | F | C | 71 | 2 |
| 225/55 R 16 | 95 | H | F | C | 71 | 2 |
| 225/55 R 16 XL | 99 | H | F | C | 71 | 2 |

| Size | LI | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **215/45 R 16 XL ● 1)** | **90** | **V** | **E** | **C** | **72** | **2** |
| **17"** | | | | | | |
| 225/55 R 17 XL | 101 | V | F | C | 71 | 2 |
| 205/50 R 17 XL ● | 93 | H | F | C | 71 | 2 |
| 225/50 R 17 XL ● | 98 | V | F | C | 71 | 2 |
| 225/45 R 17 ● | 91 | H | F | C | 71 | 2 |
| 225/45 R 17 XL ● | 94 | V | F | C | 71 | 2 |
| 235/45 R 17 XL ● | 97 | V | F | C | 71 | 2 |
| 245/45 R 17 XL ● | 99 | V | F | C | 71 | 2 |
| **18"** | | | | | | |
| **235/50 R 18 XL ● 1)** | **101** | **V** | **E** | **C** | **72** | **2** |
| 245/45 R 18 XL ● | 100 | V | F | C | 71 | 2 |
| 225/40 ZR 18 XL ● | 92 | V | F | C | 71 | 2 |
| 245/40 ZR 18 XL ● | 97 | V | F | C | 71 | 2 |

**1)** NEW | **XL** = EXTRA LOAD – tyre with increased loadability | **LI** = Load index | **SI** = Speed index | ● = Rim protection
**EU** tyre label categories: = Fuel consuption, = Wet grip, **dB** = Value in decibels, = Class

Matador. A brand of Continental.

Matador

# MP 92 Sibir Snow SUV

FOR SUVS

m+s

## Technical Highlights

### Improved traction and braking on snow

The chunky zigzag „Z" design of the tread pattern is made up of numerous lateral grooves and gripping edges. This means more snow can be picked up, resulting in better grip from the tread. The high number of gripping edges results in good performance on snow, improving both traction and braking performance.

### Improved braking on wet roads and good safety against aquaplaning

The tread pattern of the inner part of the tyre as far as the shoulder is designed to be open, balancing with the two ribs running around the circumference. The increased water dispersal improves braking on wet roads and aquaplaning performance.

### Better handling on wet roads

Compact outer shoulder blocks in combination with the new sipe technology ensure good lateral tread rigidity. This results in better handling in wet conditions and improved steering response on wintry roads.

## Size Range

| Size | LI | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **15"** | | | | | | |
| 235/75 R 15 XL | 109 | T | F | C | 71 | 2 |
| 205/70 R 15 | 96 | H | F | C | 71 | 2 |
| **16"** | | | | | | |
| 225/75 R 16 | 104 | T | F | C | 71 | 2 |
| 215/70 R 16 | 100 | T | F | C | 71 | 2 |
| 225/70 R 16 | 103 | T | F | C | 71 | 2 |
| 235/70 R 16 | 106 | T | F | C | 71 | 2 |
| 245/70 R 16 | 107 | T | F | C | 71 | 2 |
| 265/70 R 16 | 112 | T | F | C | 71 | 2 |

| Size | LI | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| 215/65 R 16 | 98 | H | F | C | 71 | 2 |
| 255/65 R 16 | 109 | H | F | C | 71 | 2 |
| 235/60 R 16 | 100 | H | F | C | 71 | 2 |
| **17"** | | | | | | |
| 225/65 R 17 | 102 | T | F | C | 71 | 2 |
| 235/65 R 17 ● | 104 | H | F | C | 71 | 2 |
| 235/65 R 17 XL ● | 108 | H | F | C | 71 | 2 |
| 215/60 R 17 ● | 96 | H | F | C | 71 | 2 |
| 235/60 R 17 | 102 | H | F | C | 71 | 2 |
| 255/60 R 17 | 106 | H | F | E | 76 | 3 |

| Size | LI | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| 225/55 R 17 XL ● | 101 | H | F | 71 | 72 | |
| 235/55 R 17 XL ● | 103 | V | E | C | 72 | 2 |
| 275/55 R 17 | 109 | H | F | C | 71 | 2 |
| **18 – 20"** | | | | | | |
| 235/60 R 18 XL ● | 107 | H | F | C | 72 | 2 |
| 235/55 R 18 ● | 100 | H | F | C | 72 | 2 |
| 255/55 R 18 XL ● | 109 | V | E | C | 73 | 2 |
| 255/50 R 19 XL ● | 107 | V | F | C | 73 | 2 |
| 275/40 R 20 XL ● | 106 | V | F | C | 71 | 2 |

**XL** = EXTRA LOAD – tyre with increased loadability | **LI** = Load index | **SI** = Speed index | **EU** tyre label categories: = Fuel consuption, = Wet grip, **dB** = Value in decibels, = Class

Matador. A brand of Continental.

Matador

## MPS 530 Sibir Snow VAN

FOR TRANSPORTERS AND VANS

m+s

### Technical Highlights

#### Good traction on snow

Sinus-waved sipes and many strong and efficient interlocking grip edges improve braking and traction on snow.

#### Safe cornering

Compact shoulder blocks provide excellent cornering stability.

#### Excellent protection against aquaplaning

Wide water displacement grooves guide the rainwater quickly away from the contact area. In this way the tyre remains firmly on track even when aquaplaning, and also performs very well on slush.

### Size Range

| Size | LI single / dual mounted | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **14"** | | | | | | |
| 185 R 14 C | 102/100 | Q | E | C | 73 | 2 |
| 195 R 14 C | 106/104 | Q | E | C | 73 | 2 |
| 195 R 14 C | 106/104 | Q | E | C | 73 | 2 |
| 165/70 R 14 C | 89/87 | R | E | C | 73 | 1 |
| 175/65 R 14 C | 90/88 | T | E | C | 73 | 2 |
| **15"** | | | | | | |
| 195/70 R 15 C | 104/102 | R | E | C | 73 | 2 |
| 205/70 R 15 C | 106/104 | R | E | C | 73 | 2 |
| 215/70 R 15 C | 109/107 | R | E | C | 73 | 2 |
| 225/70 R 15 C | 112/110 | R | E | C | 73 | 2 |
| 205/65 R 15 C | 102/100 | T | E | C | 73 | 2 |

| Size | LI single / dual mounted | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **16"** | | | | | | |
| 195/75 R 16 C | 107/105 | R | E | C | 73 | 2 |
| 205/75 R 16 C | 110/108 | R | E | C | 73 | 2 |
| 215/75 R 16 C | 116/114 | N | E | C | 73 | 2 |
| 225/75 R 16 C | 121/120 | R | E | C | 73 | 2 |
| 195/65 R 16 C | 104/102 (100) | T (T) | E | C | 73 | 2 |
| 205/65 R 16 C | 107/105 (103) | T (T) | E | C | 73 | 2 |
| 215/65 R 16 C | 109/107 (106) | R (T) | E | C | 73 | 2 |
| 225/65 R 16 C | 112/110 | R | E | C | 73 | 2 |
| 235/65 R 16 C | 115/113 | R | E | C | 73 | 2 |
| 235/65 R 16 C | 115/113 | R | E | C | 73 | 2 |
| 195/60 R 16 C | 99/97 | T | E | C | 73 | 2 |
| 195/60 R 16 C | 99/97 | T | E | C | 73 | 2 |

**LI** = Load index | **SI** = Speed index | **EU** tyre label categories: = Fuel consuption, = Wet grip, **dB** = Value in decibels, = Class

## MP 30 Sibir Ice 2

FOR COMPACT-CLASS AND MIDDLE-CLASS VEHICLES AND SUVS

m+s

### Technical Highlights

#### New stud without compromise

Matador's new developed aluminum Envi stud with a multi flange area provides a significantly higher grip force in the block. This results in enhanced braking behavior and an optimum stud grip on ice.

#### Excellent snow performance

The snow pockets in combination with mini snow pockets have been optimised to be able to accommodate larger amounts of snow. This interaction with snow results in excellent snow traction.

#### Improved dry performance

The large and stable block ensures increase of lateral stiffness and force transmission. This leads to enhanced cornering stability and dry handling performance.

### Size Range

| Size | LI | SI |
|---|---|---|
| **13"** | | |
| 155/70 R 13 | 75 | T |
| 175/70 R 13 | 82 | T |
| **14"** | | |
| 175/70 R 14 XL | 88 | T |
| 185/70 R 14 XL | 92 | T |
| 175/65 R 14 XL | 86 | T |
| 185/65 R 14 XL | 90 | T |
| 185/60 R 14 | 82 | T |
| **15"** | | |
| 185/65 R 15 XL | 92 | T |
| 195/65 R 15 XL | 95 | T |
| 205/65 R 15 XL | 99 | T |
| 185/60 R 15 XL | 88 | T |
| 195/60 R 15 XL | 92 | T |
| 195/55 R 15 XL | 89 | T |

| Size | LI | SI |
|---|---|---|
| **16"** | | |
| 205/70 R 16 | 97 | T |
| 205/60 R 16 XL | 96 | T |
| 215/60 R 16 XL | 99 | T |
| **195/55 R 16 XL** [1] | **91** | **T** |
| 205/55 R 16 XL | 94 | T |
| 215/55 R 16 XL | 97 | T |
| **17"** | | |
| 215/55 R 17 XL | 98 | T |
| 225/50 R 17 XL • | 98 | T |
| 225/45 R 17 XL • | 94 | T |

| Size | LI | SI |
|---|---|---|
| **SUV** | | |
| **15"** | | |
| 235/75 R 15 XL • | 109 | T |
| 205/70 R 15 • | 96 | T |
| **16"** | | |
| **225/75 R 16 XL** • [1] | **108** | **T** |
| 215/70 R 16 • | 100 | T |
| 225/70 R 16 XL • | 107 | T |
| 235/70 R 16 • | 106 | T |
| 215/65 R 16 XL • | 102 | T |
| **17"** | | |
| 225/65 R 17 XL | 106 | T |
| 235/65 R 17 XL • | 108 | T |
| 225/60 R 17 XL • | 103 | T |
| 235/55 R 17 XL • | 103 | T |

**1)** NEW | **XL** = EXTRA LOAD – tyre with increased loadability | **LI** = Load index | **SI** = Speed index | • = Rim protection

# MPS 500 Sibir Ice VAN

FOR TRANSPORTERS AND VANS

m+s

## Technical Highlights

### New stud without compromise for excelent traction on snow and ice

The innovative multi flange steel Envi stud in optimal interaction with tread pattern blocks result in enhanced stud grip and braking behavior on icy roads.

### Outstanding snow performance

The new snow pockets in combination with high number of blocks on tyre ensure increased snow filing capacities and excellent traction on snowy roads.

### Safety when braking

The tread with large number of sipes with multiple edges creates “ice-scrape-effect”. This guarantees safe braking on snowy roads.

## Size Range

| Size | LI single / dual mounted | SI |
|---|---|---|
| **14"** | | |
| 185 R 14 C | 102/100 | Q |
| 195 R 14 C | 106/104 | Q |
| 205 R 14 C | 109/107 | R |
| **15"** | | |
| 195/70 R 15 C | 104/102 | R |
| 205/70 R 15 C | 106/104 | R |
| 225/70 R 15 C | 112/110 | R |
| **16"** | | |
| 185/75 R 16 C | 104/102 | R |
| 195/75 R 16 C | 107/105 | R |
| 205/75 R 16 C | 110/108 | R |
| 215/75 R 16 C | 113/111 | R |
| 225/75 R 16 C | 116/114 | R |
| 205/65 R 16 C | 107/105 (103) | R |
| 215/65 R 16 C | 109/107 (106) | R |
| 225/65 R 16 C | 112/110 | R |
| 235/65 R 16 C | 115/113 | R |

## Sidewall

**MPS 500**

**Snowflake symbol**

**M+S (mud and snow)**

**Suffix “Ice” for studded winter tyres**




**Stud information**

**XL** = EXTRA LOAD – tyre with increased loadability | **LI** = Load index | **SI** = Speed index | ● = Rim protection

Matador. A brand of Continental.

Matador

# MP 72 Izzarda A/T 2

FOR SUVS AND PICKUP TRUCKS

m+s

## Technical Highlights

### Traction like never before

The new multi-angle and terraced traction notches provide numerous gripping edges. This results in improved off-road traction even on loose surfaces. Alternating shoulder scoops guarantee enhanced self-cleaning action.

### High level of damage resistance in off-road conditions

Robust tread blocks in combination with stabilized block edges reduce block pressure. This leads to outstanding resistance to block damage even under heavy load.

### Significantly enhanced noise cancelling and ride comfort

Tread blocks with varying angles ensure a comfortable and quiet ride at all times.

## Size Range

| Size | LI single / dual mounted | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **15“** | | | | | | |
| 205/70 R 15 ● | 96 | T | F | E | 72 | 2 |
| 235/75 R 15 XL ● | 109 | T | F | E | 72 | 2 |
| **31X10.50 R 15LT LRC ● 1)** | **109** | **S** | ** | ** | ** | ** |
| **16“** | | | | | | |
| 205/80 R 16 XL ● | 104 | T | E | E | 72 | 2 |
| 215/65 R 16 ● | 98 | H | F | E | 72 | 2 |
| 215/70 R 16 ● | 100 | T | F | E | 72 | 2 |
| 225/75 R16 ● | 103 | H | E | E | 72 | 2 |
| 225/75 R 16 XL ● | 108 | H | E | E | 72 | 2 |
| 235/70 R 16 ● | 106 | H | F | E | 72 | 2 |
| 245/70 R 16 XL ● | 111 | H | E | E | 72 | 2 |
| 255/65 R 16 ● | 109 | H | F | E | 73 | 2 |

| Size | LI single / dual mounted | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| 255/70 R 16 ● | 111 | T | F | E | 73 | 2 |
| 265/70 R 16 ● | 112 | T | F | E | 73 | 2 |
| 205 R 16C ● | 110/108 | S | F | E | 73 | 2 |
| **17“** | | | | | | |
| 215/60 R 17 ● | 96 | H | F | E | 72 | 2 |
| 225/65 R 17 ● | 102 | H | F | E | 72 | 2 |
| 235/65 R 17 XL ● | 108 | H | E | E | 72 | 2 |
| 255/65 R 17 ● | 110 | H | E | E | 73 | 2 |
| 265/65 R 17 ● | 112 | H | E | E | 75 | 2 |
| **18-20“** | | | | | | |
| **265/60 R 18 ● 1)** | **110** | **H** | **E** | **F** | **73** | **2** |
| 255/55 R 19 XL ● | 111 | H | F | E | 73 | 2 |
| **275/40 R 20 XL ● 1)** | **106** | **H** | ** | ** | ** | ** |

**1)** NEW | ** values in preparation | **XL** = EXTRA LOAD – tyre with increased loadability | **LI** = Load index | **SI** = Speed index | ● = Rim protection
**EU** tyre label categories: = Fuel consuption, = Wet grip, **dB** = Value in decibels, = Class

Matador. A brand of Continental.

Matador

## MPS 400 Variant All Weather 2

FOR TRANSPORTERS AND VANS

m+s

## Technical Highlights

### High level of performance on wet roads

The newly stepped pattern design improves interlocking with wet roads. Its lateral shoulder grooves provide efficient water displacement. Thus the tyre offers very good aquaplaning resistance and short braking distance on wet roads.

### Completely new level of snow performance

Step-shaped grooved edges providing snow-to-snow-friction and innovated snow pockets ensure the best possibe safety in winter, giving oustanding traction and braking performance.

### Extra driving stability in any weather

Ribbon structure of the pattern with the tie bar in the centre ensures an excellent directional stability and safe cornering on dry, wet and snowy roads. This results in a high level of driving stability for all seasons.

## Size Range

| Size | LI single / dual mounted | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **15“** | | | | | | |
| 195/70 R 15 C | 104/102 | R | C | A | 73 | 2 |
| 215/70 R 15 C | 109/107 | R | C | A | 73 | 2 |
| 225/70 R 15 C | 109/107 | R | C | A | 72 | 2 |
| **16 “** | | | | | | |
| 195/75 R 16 C | 107/105 | R | C | A | 73 | 2 |
| 215/75 R 16 C | 113/111 | R | C | A | 73 | 2 |
| 235/75 R 16 C | 115/113 | R | C | A | 73 | 2 |
| 205/65 R 16 C | 107/105 (103) | T (H) | C | A | 73 | 2 |
| 215/65 R 16 C | 104/102 | T | C | A | 72 | 2 |
| 225/65 R 16 C | 112/110 | R | C | A | 72 | 2 |
| 195/60 R 16 C | 99/97 | H | C | A | 73 | 2 |

** values in preparation | **LI** = Load index | **SI** = Speed index | **EU** tyre label categories: = Fuel consuption, = Wet grip, **dB** = Value in decibels, = Class

**Matador. A brand of Continental.**

Matador

## MP 61 Adhessa EVO

FOR SMALL AND COMPACT CLASS VEHICLES

m+s

## Technical Highlights

- Excellent driving performance in all weather conditions all year long
- Traction for all road conditions
- Directional tread pattern with numerous sipes
- Better control on wet and dry roads

## Size Range

| Size | LI | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **13 “** | | | | | | |
| 155/70 R 13 | 75 | T | G | C | 71 | 2 |
| 165/70 R 13 | 79 | T | G | C | 71 | 2 |
| 175/70 R 13 | 82 | T | F | C | 71 | 2 |
| 175/65 R 13 | 80 | T | G | C | 71 | 2 |
| **14 “** | | | | | | |
| 175/65 R 14 | 82 | H | G | C | 71 | 2 |
| 185/65 R 14 | 86 | H | F | C | 71 | 2 |
| 165/60 R 14 | 75 | H | G | C | 71 | 2 |
| 185/60 R 14 | 82 | H | G | C | 71 | 2 |
| **15 “** | | | | | | |
| 185/65 R 15 | 88 | H | F | C | 71 | 2 |
| 195/65 R 15 | 91 | H | F | C | 72 | 2 |
| **16 “** | | | | | | |
| 205/55 R 16 | 91 | H | F | C | 72 | 2 |

## MPS 125 Variant

FOR TRANSPORTERS AND VANS

m+s

## Technical Highlights

- Excellent year-round performance
- Traction for all road conditions
- State-of-the-art tread pattern for all-season operation
- Great reliability, maximum safety and high mileage
- Excellent handling on wet and dry surface

## Size Range

| Size | LI single / dual mounted | SI | EU tyre label | | | |
|---|---|---|---|---|---|---|
| | | | | | dB | |
| **14 “** | | | | | | |
| 185 R 14 C | 102/100 | R | E | C | 72 | 2 |
| 165/70 R 14 C | 89/87 | R | E | C | 72 | 2 |
| 175/65 R 14 C | 90/88 | T | E | C | 72 | 2 |
| **15 “** | | | | | | |
| 195/70 R 15 C | 104/102 (97) | R (T) | E | C | 72 | 2 |
| 205/70 R 15 C | 106/104 | R | E | C | 72 | 2 |
| 225/70 R 15 C | 112/110 (115) | R (R) | E | C | 72 | 2 |
| 205/65 R 15 C | 102/100 | T | E | C | 72 | 2 |
| **16 “** | | | | | | |
| 185/75 R 16 C | 104/102 | R | E | C | 72 | 2 |
| 195/75 R 16 C | 107/105 | R | E | C | 72 | 2 |
| 205/75 R 16 C | 110/108 | R | E | C | 72 | 2 |
| 215/75 R 16 C | 116/114 | R | E | C | 72 | 2 |
| 225/75 R 16 C | 121/120 | R | E | C | 72 | 2 |
| 195/65 R 16 C | 104/102 | T | E | C | 72 | 2 |
| 205/65 R 16 C | 107/105 (103) | T (T) | E | C | 72 | 2 |
| 215/65 R 16 C | 106/104 | T | E | C | 72 | 2 |
| 215/65 R 16 C | 109/107 | R | E | C | 72 | 2 |
| 225/65 R 16 C | 112/110 | R | E | C | 72 | 2 |
| 235/65 R 16 C | 121/119 (118) | N (N) | E | C | 72 | 2 |

**XL** = EXTRA LOAD – tyre with increased loadability | **LI** = Load index | **SI** = Speed index | **EU** tyre label categories: = Fuel consuption, = Wet grip, **dB** = Value in decibels, = Class

**Matador. A brand of Continental.**

Matador

# Winter Tyres
## From Matador

Your tyre specialist:

**Continental Matador Rubber, s.r.o.**
Terézie Vansovej 1054
020 01 Púchov
Slovak Republic

www.matador-tyres.com

en 2017.04

Matador. A brand of Continental.

Matador®